Index of Authors, Volume 13

(a = abstract)

Abate, JJ, 79a
Abe, K, 473
Abram, S, 594a
Abu-Nasra, T, 452
Abouleish, AE, 64a, 79a
Abramson, DC, 20
Adachi, Y, 277
Ahmed, AB, 427
Albertin, A, 565
Andriole, GL, Jr, 94
Atkins, PM, 24
Ayad, S, 514
Azocar, RJ, 588
Bader, AM, 571
Baik, HJ, 175
Banoub, M, 521
Beach, ML, 158
Bechstein, W-O, 377
Ben Abraham, R, 455
Bennett, H, 78a
Benumof, JL, 144, 345
Berkenbosch, JW, 122
Bernardini, A, 436
Berry, RA, 422
Bignami, E, 565
Billote, DB, 471
Biro, P, 141
Bittikofer, John, 128
Boezaart, AP, 319, 422
Bosek, V, 392
Botero, M, 90
Bouillon, T, 198
Boulay, G, 366
Bowe, EA, 594a
Branger, B, 98
Breder, CD, 208
Breslow, MJ, 16
Brock-Utne, JG, 447
Brodsky, JB, 138
Brull, SJ, 72a, 74a
Brunson, CD, 255
Calimaran, A, 3
Candido, KD, 133
Candiotti, KA, 594a
Caruana-Montaldo, B, 24
Caruso, L, 230, 540
Casati, A, 565
Caton, D, 392
Chan, CHS, 440
Chan, F, 585
Chan, MTV, 440
Cheek, TG, 374
Chen, F-C, 306
Chen, P-P, 465
Chikamitsu, M, 218
Chung, A, 353
Chung, DC, 40, 440
Chung, F, 11, 524
Ciccone, K, 268
Cleave-Hogg, D, 594a
Coddens, J, 461
Cody, RP, 281
Coetzee, AR, 319
Colopy, M, 401
Comotti, L, 565
Connelly, NR, 3, 182, 387
Conradi, R, 213
Cork, R, 594a
Corsino, A, 498
Courtney, RA, 387
Cravero, JP, 158
Cuhls, M, 198
Cullen, DJ, 1, 83
Darsow, R, 264
Datta, S, 118, 571
Day, M, 70a
De Cooman, S, 461
de Villa, MVH, 306
De Wolf, AM, 461
Dehne, K-L, 103
Dehne, MG, 103
Deloof, T, 461
Denk, N, 561
Desouza, GJ, (8a)
Dexter, F, 77a, 478
Diachun, CAB, 447
Dicembrini, MA, 436
Dilger, J, 594a
Dohi, S, 551
Doran, N, 594a
Dorman, T, 16
Doyle, DJ, 472
Dunn, SM, 3
Duong, MH, 131
Dyches, P, 325
Eappen, S, 118
East, CJ, 301
Ecoffey, C, 98
Eichhorn, JH, 255
Ellis, MH, 509
Eltzschig, HK, 264
Elwood, T, 482
Endoh, S, 221
Epstein, RH, 478
Euliano, TY, 313
Ezri, T, 125, 455
Facchetti, P, 436
Falke, K, 377
Farid, I, 521
Feistrizter, N, 68a
Finger, J, 452
Fleisher, LA, 401, 407
Frazier, WT, 76a
Fredman, B, 509
Frietsch, T, 470
Frolich, M, 313
Fry, V, 582
Fujimaki, K, 398
Fujita, N, 417
Fujita, Y, 221
Fujiwara, M, 473
Fukuda, H, 330
Gabrielli, A, 230, 392
Gaiser, R, 374
Gajraj, N, 427
Geva, D, 125
Ginsberg, SH, 281
Glanemann, M, 377
Glass, PSA, 401, 594a
Glisson, SN, 471
Goelzer, SL, 594a
Gold, BB, 561
Goodman, EJ, 561
Goto, F 417
Gotta, J, 3
Gottlieb, A, 521
Gottschalk, LI, 20
Goulson, DT, 594a
Grau, T, 213
Gravenstein, D, 392
Gravenstein, N, 594a
Grisales, DA,392
Grubb, WR, 281
Guggenberger, H, 264
Gupta, A, 161
Gurman, GM, 321
Gutsche, BB, 374
Hahn, RG, 167
Hall, JR, 76a
Hallen, J, 161
Hamza, J, 366
Hannenberg, AA, 44, 547
Hansen, LD, 482
Hashizume, Y, 30
Heath, BJ, 218
Hegi, TR, 141
Heine, J, 186
Hemmerling, TM, 244, 293, 319, 361
Hempelmann, G, 103
Hendrickx, JFA, 461
Henry, J, 594a
Herzog, T, 186
Hettesheimer, H, 264
Higgins, MS, 68a
Higuchi, H, 277

Journal of Clinical Anesthesia 13:612–614, 2001

© 2001 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/01/$–see front matter
PII S0952-8180(01)00340-3

Index of Authors, Volume 13

(a = abstract)

Abate, JJ, 79a
Abe, K, 473
Abram, S, 594a
Abu-Nasra, T, 452
Abouleish, AE, 64a, 79a
Abramson, DC, 20
Adachi, Y, 277
Ahmed, AB, 427
Albertin, A, 565
Andriole, GL, Jr, 94
Atkins, PM, 24
Ayad, S, 514
Azocar, RJ, 588
Bader, AM, 571
Baik, HJ, 175
Banoub, M, 521
Beach, ML, 158
Bechstein, W-O, 377
Ben Abraham, R, 455
Bennett, H, 78a
Benumof, JL, 144, 345
Berkenbosch, JW, 122
Bernardini, A, 436
Berry, RA, 422
Bignami, E, 565
Billote, DB, 471
Biro, P, 141
Bittikofer, John, 128
Boezaart, AP, 319, 422
Bosek, V, 392
Botero, M, 90
Bouillon, T, 198
Boulay, G, 366
Bowe, EA, 594a
Branger, B, 98
Breder, CD, 208
Breslow, MJ, 16
Brock-Utne, JG, 447
Brodsky, JB, 138
Brull, SJ, 72a, 74a
Brunson, CD, 255
Calimaran, A, 3
Candido, KD, 133
Candiotti, KA, 594a
Caruana-Montaldo, B, 24
Caruso, L, 230, 540
Casati, A, 565
Caton, D, 392
Chan, CHS, 440
Chan, F, 585
Chan, MTV, 440
Cheek, TG, 374
Chen, F-C, 306
Chen, P-P, 465
Chikamitsu, M, 218
Chung, A, 353
Chung, DC, 40, 440
Chung, F, 11, 524
Ciccone, K, 268
Cleave-Hogg, D, 594a
Coddens, J, 461
Cody, RP, 281
Coetzee, AR, 319
Colopy, M, 401
Comotti, L, 565
Connelly, NR, 3, 182, 387
Conradi, R, 213
Cork, R, 594a
Corsino, A, 498
Courtney, RA, 387
Cravero, JP, 158
Cuhls, M, 198
Cullen, DJ, 1, 83
Darsow, R, 264
Datta, S, 118, 571
Day, M, 70a
De Cooman, S, 461
de Villa, MVH, 306
De Wolf, AM, 461
Dehne, K-L, 103
Dehne, MG, 103
Deloof, T, 461
Denk, N, 561
Desouza, GJ, (8a)
Dexter, F, 77a, 478
Diachun, CAB, 447
Dicembrini, MA, 436
Dilger, J, 594a
Dohi, S, 551
Doran, N, 594a
Dorman, T, 16
Doyle, DJ, 472
Dunn, SM, 3
Duong, MH, 131
Dyches, P, 325
Eappen, S, 118
East, CJ, 301
Ecoffey, C, 98
Eichhorn, JH, 255
Ellis, MH, 509
Eltzschig, HK, 264
Elwood, T, 482
Endoh, S, 221
Epstein, RH, 478
Euliano, TY, 313
Ezri, T, 125, 455
Facchetti, P, 436
Falke, K, 377
Farid, I, 521
Feistrizter, N, 68a
Finger, J, 452
Fleisher, LA, 401, 407
Frazier, WT, 76a
Fredman, B, 509
Frietsch, T, 470
Frolich, M, 313
Fry, V, 582
Fujimaki, K, 398
Fujita, N, 417
Fujita, Y, 221
Fujiwara, M, 473
Fukuda, H, 330
Gabrielli, A, 230, 392
Gaiser, R, 374
Gajraj, N, 427
Geva, D, 125
Ginsberg, SH, 281
Glanemann, M, 377
Glass, PSA, 401, 594a
Glisson, SN, 471
Goelzer, SL, 594a
Gold, BB, 561
Goodman, EJ, 561
Goto, F 417
Gotta, J, 3
Gottlieb, A, 521
Gottschalk, LI, 20
Goulson, DT, 594a
Grau, T, 213
Gravenstein, D, 392
Gravenstein, N, 594a
Grisales, DA,392
Grubb, WR, 281
Guggenberger, H, 264
Gupta, A, 161
Gurman, GM, 321
Gutsche, BB, 374
Hahn, RG, 167
Hall, JR, 76a
Hallen, J, 161
Hamza, J, 366
Hannenberg, AA, 44, 547
Hansen, LD, 482
Hashizume, Y, 30
Heath, BJ, 218
Hegi, TR, 141
Heine, J, 186
Hemmerling, TM, 244, 293, 319, 361
Hempelmann, G, 103
Hendrickx, JFA, 461
Henry, J, 594a
Herzog, T, 186
Hettesheimer, H, 264
Higgins, MS, 68a
Higuchi, H, 277

Journal of Clinical Anesthesia 13:612–614, 2001

© 2001 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/01/$–see front matter
PII S0952-8180(01)00340-3

Ho, AMH, 40
Hobbs, G, 335
Hoeft, A, 198
Hogue, S, 401, 407
Horter, J, 213
Hsu, H, 94
Huang, JJ, 94, 241
Hughes, JC, 79a
Ichinose, H, 86
Ifrach, N, 509
Iida, H, 551
Iijima, T, 250, 504
Imamura, M, 504
Imerman, B, 540
Iwamoto, R, 504
Iwao, Y, 250
Iyengar, S, 287
Jacobi, KE, 244, 293, 319, 361
Jakubowski, MS, 268
Jamerson, BD, 401, 407
Jasiewicz, RC, 516
Jawan, B, 306
Jedeikin, R, 509
Jensen, WA, 131
Jiang, HJ, 268
Jin, F, 524
Johans, TG, 44, 547
Johnson, PA, 561
Jules-Elysee, K, 556
Kadoi, Y, 417
Kagawa, FT, 131
Kaisers, U, 377
Kaku, M, 6
Kampe, S, 486
Kanter, G, 3
Kashimoto, S, 227
Kasper, S-M, 486
Katz, Jeffrey, 59, 125
Katz, Joel, 11
Katz, MS, 287
Kawamoto, M, 330
Kawana, S, 259
Kaynor, AM, 588
Kee, S, 20
Kemmotsu, O, 193
Kern, S, 293
Kim, JH, 175
Kimura, M, 221
Kirsch, CM, 131
Kishi, Y, 370
Kita, T, 370
Kitain, EM, 268
Kitajima, T, 30, 398
Kofke, WA, 335
Koga, K, 6
Konefal, TS, 133
Konen-Bergmann, M, 198
Kong, AS, 440
Kook, AI, 452
Kostuik, JP, 208
Kozlowski, PM, 138
Kranner, PW, 594a
Krause, TJ, 281
Kuche, H-C, 186
Kumar, L, 339
Kumazawa, T, 504
Kurtz, M, 594a
Kurz, A, 94, 241
Kyle, R, 3
Lagasse, RS, 268
Lai, CKW, 440
Lam, KK, 465
Langerman, L, 452
Langrehr, JM, 377
Lanza, G, 436
Laurent, B, 582
Lauretti, GR, 576
Le Bel, LA, 545
Le Guen, H, 98
Lebowitz, P, 66a
Lee, CH, 175
Leipold, RW, 213
Lerman, J, 157
Leuwer, M, 186
Lewin, SB, 374
Lewis, MC, 594a
Liang, BA, 44, 546
Lin, C-C, 306
Lipsett, PA, 16
Lisbon, A, 588
Liu, EHC, 157
Liu, P-P, 306
Lobato, EB, 90
Logginidou, H, 594a
Lorentz, A, 470
Low, JM, 585
Lurie, J, 498
Macario, A, 77a, 353
Mahla, ME, 594a
Mainland, P-A, 440
Mammoto, T, 370
Markenson, GR, 387
Martin, EO, 213
Mashimo, T, 473
Mathew, JP, 301
Matot, I, 383
Matsukawa, T, 227, 504
May, WS, 255
Mayhew, JF, 60
Mayumi, T, 193
Mazzei, WJ, 345
McWhorter, J, 335
Mendelson, W, 24
Merwe, J, 319
Miguel, RV, 325
Milman, S, 556
Mion, LC, 24
Mishio, M, 30
Miura, S, 227
Mizrukhin, A, 452
Modell, JH, 392
Moore, CH, 112, 430
Moorthy, SS, 582
Morgan, MJ, 561
Morgan, PJ, 594a
Moriarty, KP,387
Morimoto, Y, 193
Morvant, EM, 60
Motsch, J, 213
Muhling, J, 103
Muller, AR, 377
Munte, S, 186
Munte, TF, 186
Murray, WB, 594a
Mychaskiw, G, II, 218, 255
Nagase, K, 551
Nahtomi-Schick, O, 208
Nakabayashi, K, 86
Nakayama, M, 86
Namiki, A, 86, 259
Natale, M, 118
Natalini, G, 436
Nathanson, MH, 427
Nell, M, 422
Nelson, A, 63a
Neuhaus, P, 377
Ngan Kee, WD, 465, 585
Nguyen, NH, 60
Nichols, BA, 561
Nishikawa, K, 259
Nishiyama, T, 504
Nishman, R, 392
Norris, A, 11
Ockert, DB, 594a
Ohata, H, 551
Ohishi, F, 250
Okuda, Y, 30, 398
Oldroyd, M, 138
Oliveira, A-PM, 576
Orledge, JD, 594a
Osthaus, A, 186
Overdiek, N, 392
Overdyk, F, 61a
Ozaki, M, 504
Paccola, CAJ, 576
Paganelli, M, 565
Palmer, RM, 24
Pan, PH, 112, 430
Pandya, P, 582
Panomitros, GE, 63a
Pantin, EJ, 281
Papp, D, 281
Pappas, AL, 498
Parker, RK, 387
Paulsen, AW, 76a
Pawar, DK, 339
Pawlowski, J, 498
Phillips, J, 594a
Piepenbrock, S, 186
Pinosky, M, 61a
Pivalizza, EG, 20
Pivalizza, PJ, 20
Prough, DS, 64a
Provenchere, S, 366
Qin, F, 78a
Rabito, SF, 133
Rampil, I, 594a
Randa, S, 68a
Rauh, R, 244, 361
Rawal, N, 161
Remchuk, SL, IV, 594a
Restrepo, JC, 594a
Reves, JG, 301
Richardson, MG, 594a
Rickauer, AJ, 319
Rist, M, 244, 361
Rivo, J, 383
Robbins, LD, 3

Rodriguez, AM, 576
Roizen, MF, 401
Ropcke, H, 198
Rosano, A, 436
Rose, JB, 287
Rosenfeld, BA, 16
Ross, P, 70a
Rothstein, RW, 387
Roy, D, 98
Rozentsveig, V, 321
Ruscher, AE, 594a
Rust, P, 61a
Sablotzki, A, 103
Sachdev, V, 218
Safwat, AM, 239
St. Jacques, P, 68a, 70a
de Saint Blanquat, L, 366
Saito, S, 417
Sakamoto, H, 193
Saleem, M, 72a, 74a
Sandler, A, 11
Sari, A, 221
Sata, T, 6
Sato, O, 86
Satoh, T, 277
Sawicki, K, 498
Scarioni, M, 565
Schabel, JE, 517
Schenk, R, 377
Schmid, MC, 293
Schmidt, J, 293
Scholz, PM, 281
Schroeder, TH, 264
Schubert, A, 594a
Schuler, G, 594a
Schwartz, DA, 387
Segal, S, 571
Seely, JM, 482
Shah, BL, 387
Shaheen, N, 335
Shander, A, 78a
Shigematsu, A, 6
Shinohara, M, 398
Shulman, GB, 182
Sieber, AN, 208
Sieber, FE, 208
Siebzehnrubl, E, 244
Sikich, N, 157
Simon, L, 366
Sinz, EH, 335
Slomka, J, 24
Smith, DF, 63a
Smith, M, 594a
Snyder, DS, 72a, 74a
Solanki, D, 63a
Solina, AR, 281
Soto, R, 325
Spahn, DR, 141
Stacpoole, PW, 230
Steadman, JL, 594a
Steinberg, ES, 594a
Stange, BJ, 377
Stromich, A, 486
Subramaniam, B, 339
Subramaniam, K, 339
Sucke, N, 103
Sukhani, R, 498
Sultana, S, 133
Sum-Ping, STJ, 128
Szmuk, P, 20, 59, 125
Tadimeti, L, 24
Taguchi, A, 94
Tashiro, C, 309
Takamoto, K, 6
Takata, MN, 345
Takiguchi, T, 30
Takita, K, 193
Talmor, D, 588
Tarnoploski, A, 321
Tashjian, DB, 387
Tatara, T, 250
Tay, BA, 40
Tetzlaff, JE, 514, 521
Thanamayooran, S, 11
Theroux, MC, 287
Thomas, J, 571
Thompson, DA, 16
Tobias, JD, 35, 122
Toriumi, T, 221
Torri, G, 565
Tsen, LC, 118, 571
Tsujimoto, S, 309
Tuman, KJ, 401
Tung, A, 24
Tunink, BP, 447
Tverskoy, M, 452
Twersky, RS, 401, 407
Udeh, C, 128
Un, V, 11
Underberg, K, 594a
Urban, MK, 556
Urquhart, B, 556
Usui, Y, 398
Van Alphen, J, 461
van der Aa, JJ, 594a
van Dyk, AL, 422
Vandeput, DM, 461
Walton, J, 61a
Warner, DS, 401, 407
Warters, DR, 59
Warters, RD, 125
Watanabe, K, 277
Waterman, C, 594a
Weatherwax, KJ, 301
Weder, W, 141
Wehner, JH, 131
Weinbroum, AA, 455
Weinger, MB, 353, 491
Weksler, N, 321
White, SE, 90
White, WD, 301
Wilks, D, 594a
Winfield, HN, 138
Winters, BD, 208
Woodyard, SA, 255
Wool, RS, 387
Wu, CL, 49
Yamaguchi, S, 30, 398
Yamaguchi, T, 227
Yamamoto, S, 86
Yamanaka, Y, 370
Younginer, JG, 90
Youssef, G, 521
Yuge, O, 330
Zhang, J-M, 72a, 74a
Zohar, E, 509
Zomer, J, 455
Zori, RT, 540
Zornow, MH, 63a, 79a
Zumberg, MS, 313

ELSEVIER

Index of Subjects, Volume 13

Authors' names follow each subject entry. Departments from which the subjects were indexed are abbreviated as follows: AB=abstract, CC=case conference, CR=case report, DD=Doctor's Docket, ED=editorial, LE=letter to the editor, OC=original contribution, RA=review article, and SA=special article.

A

Abdominal surgery
  ketamine for postoperative analgesia
    evaluation of, with combination morphine and (OC) [Subramaniam, Subramaniam, Pawar, Kumar], 339
  laparoscopic
    and pneumoperitoneum (OC) [Rist, Hemmerling, Rauh, Siebzehnrubl, Jacobi], 244

Accreditation Council for Graduate Medical Education (ACGME)
  model for performance assessment of residents incorporating ACGME Outcome Project (AB) [Goelzer, Kranner], 594

Actigraphy, wrist
  sedation monitoring with (OC) [Weinbroum, Ben Abraham, Ezri, Zomer], 455

Acute pain management
  practice guidelines for
    factors affecting hospital implementation of (OC) [Jiang, Lagasse, Ciccone, Jakubowski, Kitain], 268

Air-oxygen mixtures
  in circle systems (OC) [Hendrickx, De Cooman, Vandeput, Van Alphen, Coddens, Deloof, De Wolf], 461

Airway
  apnea
    "apnea-volume warning"
      and Narkomed 4 anesthesia system; leak in, during lung ventilation (CR) [Chung, Ho, Tay], 40
  obstructive sleep
    obesity and; airway management for (SA) [Benumof], 144
    postoperative analgesia and—a potentially dangerous combination (ED) [Cullen], 83
  Guedel-type vs. cuffed oropharyngeal
    with mask ventilation during manual in-line stabilization (OC) [Koga, Sata, Kaku, Takamoto, Shigematsu], 6
  Laryngeal Mask Airway(tm)
    in high-grade tracheal stenosis
      use of, with high-frequency jet ventilation (CR) [Biro, Hegi, Weder, Spahn], 141
  management of
    one-lung ventilation; variations on (CR) [Tobias], 35
    oropharyngeal, cuffed
      vs. Guedel-type, with mask ventilation during manual in-line stabilization (OC) [Koga, Sata, Kaku, Takamoto, Shigematsu], 6
    pediatric
      airway hyperreactivity and removal of Laryngeal Mask Airway(tm); correlation with choice of volatile anesthetic and depth of anesthesia (OC) [Pappas, Sukhani, Lurie, Pawlowski, Sawicki, Corsino], 498
      oropharyngeal airway diameter during sedation in children with or without developmental delay (OC) [Elwood, Hansen, Seely], 482
  vallecular cyst, asymptomatic
    airway management considerations of (CR) [Rivo, Matot], 383

Airway pressure
  and one-lung ventilation with propofol
    effect of positive end-expiratory pressure and continuous positive airway pressure on oxygenation and shunt fraction during (OC) [Fujiwara, Abe, Mashimo], 472

Allergy, anaphylaxis
  etomidate
    reaction to (CR) [Moorthy, Laurent, Pandya, Fry], 582
  pencillin
    cephalosporins for patients who do not exhibit anaphylactic reaction (OC) [Goodman, Morgan, Johnson, Nichols, Denk, Gold], 561

Ambulatory surgery
  diclofenac in
    timing of administration of, during (OC) [Norris, Un, Chung, Thanamayooran, Sandler, Katz], 11
  ethics and
    Health Insurance Portability and and Accountability Act (HIPAA) of 1996
    reducing family members' anxiety during same-day surgery (OC) [Dexter, Epstein], 478
  spinal anesthesia for
    transient neurologic symptoms after subarachnoid block with single-shot isobaric 2% lidocaine in outpatient hysteroscopy (CR) [Farid, Youssef, Banoub, Gottlieb, Tetzlaff], 521

American Society of Anesthesiologists (ASA) physical status classification
  and ambulatory Medicare patients (AB) [Abouleish, Prough], 64

Analgesia
  labor
    fentanyl vs. sufentanil-bupivacaine combination in patient- controlled analgesia (OC) [Le Guen, Roy, Branger, Ecoffey], 98
    transcutaneous nerve stimulation (TENS) fails to augment, with bupivacaine (OC) [Tsen, Thomas, Segal, Datta, Bader], 571
  multimodal
    in postoperative pain control (SA) [Jin, Chung], 524
  patient-controlled
    education of patients
      structured format for use (OC) [Lam, Chan, Chen, Ngan Kee], 465
    epidural; for labor
      fentanyl vs. sufentanil-bupivacaine combination (OC) [Le Guen, Roy, Branger, Ecoffey], 98
  postoperative
    diclofenac; timing of administration in ambulatory surgery (OC) [Norris, Un, Chung, Thanamayooran, Sandler, Katz], 11
    facial electromyography as predictor of, during simultaneous BIS monitoring (AB) [Shander, Qin, Bennett], 78

Journal of Clinical Anesthesia 13:615–630, 2001

© 2001 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/01/$–see front matter
PII S0952-8180(01)00100-X

neostigmine, epidural; in abdominal hysterectomy (OC) [Nakayama, Ichinose, Nakabayashi, Satoh, Yamamoto, Namiki], 86

Anaphylactic reaction
in general anesthesia
and intraoperative coronary artery spasm (CR) [Fujita, Chikamitsu, Kimura, Toriumi, Endoh, Sari], 221

Anemia
in Jehovah's Witness patients
hemoglobin-based blood substitutes for (LE) [Doyle], 472

Anesthesia
aspiration
lidocaine absorption during (OC) [Mainland, Kong, Chung, Chan, Lai], 440
awareness during
in ovarian tumorectomy
sevoflurane and epidural anesthesia (CR) [Miura, Kashimoto, Yamaguchi, Matsukawa], 227
balanced
sevoflurane and remifentanil; effect of Laryngeal Mask Airway insertion on intraocular pressure during strabismus surgery (OC) [Eltzschig, Darsow, Schroeder, Hettesheimer, Guggenberger], 264
emergence from
cough suppression during; lidocaine delivered through a modified endotracheal tube (OC) [Diachun, Tunink, Brock-Utne], 447
delirium; statistical significance of (LE) [Sikich, Lerman], 157 (Reply) [Beach, Cravero], 158
epidural
awareness with sevoflurane and, in ovarian tumorectomy (CR) [Miura, Kashimoto, Yamaguchi, Matsukawa], 227
paramedian access to the epidural space; optimum window for ultrasound imaging (OC) [Grau, Leipold, Horter, Conradi, Martin, Motsch], 213
eye surgery
periretrobulbar block
propofol vs. remifentanil for sedation and limitation of movement during OC) [Boezaart, Berry, Nell, van Dyk], 422
general
anaphylactic reaction during; and coronary artery spasm (CR) [Fujita, Chikamitsu, Kimura, Toriumi, Endoh, Sari], 221
inhalational
in morbidly obese patients
isoflurane vs. sevoflurane for laparoscopic gastric banding in (OC) [Torri, Casati, Albertin, Comotti, Bignami, Scarioni, Paganelli], 565
local
in pediatrics
caudal block in; combination of mepivacaine, bupivacaine, or both, for postoperative analgesia and plasma concentration of local anesthetics (OC) [Hashizume, Yamaguchi, Mishio, Takiguchi, Okuda, Kitajima], 30
low-flow
air-oxygen mixtures in circle systems (OC) [Hendrickx, De Cooman, Vandeput, Van Alphen, Coddens, Deloof, De Wolf], 461
obstetrical
neonatal resuscitation certification; anesthesiologists' interest in obtaining (OC) [Gaiser, Lewin, Cheek, Gutsche], 374
regional
anticoagulation in (RA) [Wu], 49
multimodal analgesia for postoperative pain control (SA) [Jin, Chung], 524
shoulder surgery
interscalene brachial plexus anesthesia for; report of complications during (CR) [Ayad, Tetzlaff], 514
subdural air collection as cause of pain after lumbar epidural (CC) [Overdiek, Grisales, Gravenstein, Bosek, Nishman, Modell], 392
spinal
apnea during, in unsedated patient with central sleep apnea syndrome (CR) [Tsujimoto, Tashiro], 309
hypotension during cesarean section; intravenous ephedrine (OC) [Simon, Provenchere, de Saint Blanquat, Boulay, Hamza], 366
transient neurologic symptoms
diagnosis and management of, after subarachnoid block with single-shot isobaric 2% lidocaine (CR) [Farid, Youssef, Banoub, Gottlieb, Tetzlaff], 521

Anesthesia Clinical Directors, Association of affiliation with *Journal of Clinical Anesthesia* welcome (ED) [Cullen], 1

Anesthesiologists
assistants of
providing second source of anesthetists (AB) [Frazier, Paulsen, Hall], 76
and certified registered nurse-anesthetists (CRNAs)
letter concerning previous Doctor's Docket case (LE) [Le Bel] 545 (Replies [Liang], 546, [Hannenberg], 547, [Johans], 547)
communication between
mobile telephone vs. pagers (AB) [Overdyk, Pinosky, Walton, Rust], 61
education of
Society for Education in Anesthesia (SEA)
abstracts presented at spring 2001 meeting, 594
emesis treatment provided by
variation in practice patterns of California anesthesiologists for prophylaxis of postoperative nausea and vomiting (OC) [Macario, Chung, Weinger], 353
faculty evaluation
Web-based resident/faculty/rotation system for; a two-year experience with (AB) [Mahla, van der Aa, Gravenstein], 594
neonatal resuscitation certification
anesthesiologists' interest in obtaining (OC) [Gaiser, Lewin, Cheek, Gutsche], 374
residents
level-specific core curriculum for (AB) [Kranner, Ockert, Goelzer], 594
operating room turnover time and changing case preparation patterns of, reduces (AB) [Saleem, Snyder, Zhang, Brull], 74
problem-based learning for
the CA-1 introductory program; an experiment (AB) [Phillips, Doran, Wilks, Abram], 594
reading (critical) skills of; curriculum for resident competence in (AB) [Richardson], 594
residency program
important factors in selection of, by American medical graduates (AB) [Goulson, Bowe], 594
performance assessment of with the Accreditation Council for Graduate Medical Education (ACGME) Outcome Project (AB) [Goelzer, Kranner], 594
simulator, full human
as tool for teaching complex decision making in a high-fidelity environment (AB) [Orledge, Kurtz, Murray, Henry, Underberg], 594

Anesthesiology training program
factors in selection of, by American medical graduates (AB) [Goulson, Bowe], 594
mandatory rotation
as possible influence of American medical graduates to enter program (AB) [Lewis, Steadman, Restrepo, Candiotti, Des-

ouza], 594
Antibiotics
pencillin
cephalosporins for patients who do not exhibit anaphylactic reaction (OC) [Goodman, Morgan, Johnson, Nichols, Denk, Gold], 561
Antiemetics
emesis control
in cesarean section
metoclopramide vs. ondansetron for patients given epidural anesthesia (OC) [Pan, Moore], 430
postoperative nausea and vomiting
variation in practice patterns of California anesthesiologists (OC) [Macario, Chung, Weinger], 353
Anxiety
family members', during same day surgery
and the Health Insurance Portability and and Accountability Act (HIPAA) of 1996 (OC) [Dexter, Epstein], 478
Apnea
"apnea-volume warning"
and Narkomed 4 anesthesia system; leak in, during lung ventilation (CR) [Chung, Ho, Tay], 40
sleep
obstructive
obesity; airway management for (SA) [Benumof], 144
postoperative analgesia and—a potentially dangerous combination (ED) [Cullen], 83
spinal anesthesia and
in unsedated patient with central sleep apnea syndrome (CR) [Tsujimoto, Tashiro], 309
Arteries, great
transposition of, congenitally corrected
in pregnant patient undergoing labor and vaginal delivery (CR) [Schabel, Jasiewicz], 517
Arthrogryposis multiplex congenita
anesthesia for, in patient with limited mouth opening (LE) [Szmuk, Ezri, Warters, Katz], 59
ASA (American Society of Anesthesiologists) physical status classification
ambulatory Medicare patients have higher (AB) [Abouleish, Prough], 64
Aspiration anesthesia
lidocaine absorption during (OC) [Mainland, Kong, Chung, Chan, Lai], 440
Atracurium
low-dose
vs. rocuronium in a desflurane anesthetic; comparison of hemodynamic effects of (OC) [Miguel, Soto, Dyches], 325
Atropine
and core hypothermia
treatment for, in elderly patients with midazolam-induced (OC) [Matsukawa, Ozaki, Nishiyama, Imamura, Iwamoto, Iijima, Kumazawa], 504
Autologous blood
proper use of (LE) [Lorentz, Frietsch], 470 (Reply [Billote, Glisson], 471)
Awareness, anesthesia
in ovarian tumorectomy
sevoflurane and epidural anesthesia (CR) [Miura, Kashimoto, Yamaguchi, Matsukawa], 227

B
Benzocaine
cause of severe methemoglobinemia on reexposure to (CR) [Udeh, Bittikofer, Sum-Ping], 128
Beriberi
early recognition of acute cardiovascular, by interpretation of hemodynamics (CC) [Gabrielli, Caruso, Stacpoole], 230
Billing compliance
real-time verification process for (AB) [Abouleish, Hughes, Abate, Zornow], 79
Bispectral index monitoring
in cardiopulmonary bypass
effect of hypothermia on the hypnotic state (OC) [Mathew, Weatherwax, East, White, Reves], 301
in orthopedic surgical procedures
propofol and remifentanil pharmacodynamics as measured by effects on (OC) [Ropcke, Konen-Bergmann, Cuhls, Bouillon, Hoeft], 198
in pediatrics
effects of sedation on, in intensive care unit patients (CR) [Tobias], 122
Blood
anticoagulation
persistent hypoxia after diagnosis and treatment of pulmonary thromboembolism (CR) [Azocar, Talmor, Kaynar, Lisbon], 588
regional anesthesia and (RA) [Wu], 49
autologous
new hydroxyethyl starch solution (HES 130/0.4) for preoperative (OC) [Kasper, Stromich, Kampe, Radbruch], 486
proper use of deposit (LE) [Lorentz, Frietsch], 470 (Reply [Billote, Glisson], 471)
blood flow velocity
transcranial Doppler ultrasonography with anesthesia induction and neuromuscular block in surgical patients (OC) [Kofke, Shaheen, McWhorter, Sinz, Hobbs], 335
cardiac output
small prostaglandin E1 dose increases, without altering blood volume (OC) [Fukuda, Kawamoto, Yuge], 330
hemoglobin
in Jehovah's Witness patients
hemoglobin-based blood substitutes for (LE) [Doyle], 472
hepatic blood flow
effect of prostaglandin E1 as continuous infusion, on (OC) [Iijima, Ohishi, Tatara, Iwao], 250
immune thrombocytopenic purpura
cesarean section and splenectomy in parturient with (CC) [Euliano, Zumberg, Frolich], 313
Jehovah's Witness patients
hemoglobin-based blood substitutes for (LE) [Doyle], 472
knee replacement, total, and
effect of tourniquet application, tranexamic acid, and desmopressin on procoagulant and fibrinolytic systems during (OC) [Ellis, Fredman, Zohar, Ifrach, Jedeikin], 509
loss
intraoperative fluid management in spine surgery and effect on intensive care unit length of stay (OC) [Nahtomi-Shick, Kostuik, Winters, Breder, Sieber, Sieber], 208
preoperative autologous blood donation (PABD)
evaluation of new solution hydroxyethyl starch solution (HES 130/0.4) in (OC) [Kasper, Stromich, Kampe, Radbruch], 486
proper use of (LE) [Lorentz, Frietsch), 470 (Reply [Billote, Glisson], 471)
Blood pressure cuff
compression injury of radial nerve with (CR) [Lin, Jawan, de Villa, Chen, Liu], 306
Brain
blood flow velocity
transcranial Doppler ultrasonography with anesthesia induction and neuromuscular block in surgical patients (OC) [Kofke, Shaheen, McWhorter, Sinz, Hobbs], 335
ketamine attenuates cerebrovascular response to carbon dioxide in humans given isoflurane (OC) [Nagase, Iida, Ohata, Dohi], 551

Bronchoscope, flexible fiberoptic
vs. Bullard laryngoscope, for patients afforded inline stabilization (OC) [Shulman, Connelly], 182
Bucking
lidocaine delivered through a modified endotracheal tube to treat (OC) [Diachun, Tunink, Brock-Utne], 447
Bullard laryngoscope
vs. the flexible fiberoptic bronchoscope, for patients afforded inline stabilization (OC) [Shulman, Connelly], 182
Bupivacaine
for labor
patient-controlled analgesia with fentanyl vs. sufentanil- bupivacaine combination for (OC) [Le Guen, Roy, Branger, Ecoffey], 98
in pediatrics
caudal block with; combination of mepivacaine and, or either, for postoperative analgesia and plasma concentration of local anesthetics (OC) [Hashizume, Yamaguchi, Mishio, Takiguchi, Okuda, Kitajima], 30

C
Cannulation
in pediatrics
Trendelenburg position and positive intrathoracic pressure on internal jugular vein cross-sectional area (OC) [Botero, White, Younginer, Lobato], 90
Carbon dioxide reactivity
ketamine attenuates cerebrovascular response to, in humans given isoflurane (OC) [Nagase, Iida, Ohata, Dohi], 551
Cardiac surgery
and nitric oxide
dose response to (OC) [Solina, Ginsberg, Papp, Grubb, Scholz, Pantin, Cody, Krause], 281
Cardiopulmonary bypass
bispectral index monitoring during
effect of hypothermia on the hypnotic state (OC) [Mathew, Weatherwax, East, White, Reves], 301
prostaglandin E1
small doses of, and systemic hemodynamics and jugular venous oxygen saturation during (OC) [Kadoi, Saito, Goto, Fujita], 417
Carotid endarterectomy
breakthrough hypertension, following
nicardipine vs. nitroprusside to treat (OC) [Dorman, Thompson, Breslow, Lipsett, Rosenfeld], 16
Case, surgical
sequencing of; and operating room efficiency; determinant of (AB) [Lebowitz], 66
Cataract surgery
propofol vs. remifentanil
for sedation and limitation of movement during periretrobulbar block (OC) [Boezaart, Berry, Nell, van Dyk], 422
Catheterization
central venous catheter
unusual complication during placement of (CR) [Duong, Jensen, Kirsch, Wehner, Kagawa], 131
pulmonary artery
checking compatibility of, with percutaneous sheath introducers (LE) [Liu], 157
Caudal block, pediatric
mepivacaine, bupivacaine, or combination
requirement for postoperative analgesia and plasma concentration of local anesthetics (OC) [Hashizume, Yamaguchi, Mishio, Takiguchi, Okuda, Kitajima], 30
Celite
thrombelastography activated by
in pediatrics (OC) [Pivalizza, Pivalizza, Gottschalk, Kee, Szmuk, Abramson], 20
Cephalosporins
and penicillin-allergic patients
treatment for those who do not exhibit an anaphylactic response (OC) [Goodman, Morgan, Johnson, Nichols, Denk, Gold], 561
Certified registered nurse-anesthetists
and medico-legal issues concerning supervision of (LE) [Le Bel], 545 (Replies [Liang], 546, [Hannenberg], 547 [Johans], 547)
Cesarean section
ephedrine in
intravenous dose of, during spinal anesthesia for (OC) [Simon, Provenchere, de Saint Blanquat, Boulay, Hamza], 366
splenectomy, and
in parturient with immune thrombocytopenic purpura (CC) [Euliano, Zumberg, Frolich], 313
Circle systems
air-oxygen mixtures in, for low-flow anesthesia (OC) [Hendrickx, De Cooman,Vandeput, Van Alphen, Coddens, Deloof, De Wolf], 461
Cisatracurium
cerebral vascular effects of rocuronium and (OC) [Kofke, Shaheen, McWhorter, Sinz, Hobbs], 335
in immediate postpartum patients
comparison of neuromuscular block with, between nonpregnant patients and (OC) [Pan, Moore], 112
Coagulation
anticoagulation
persistent hypoxia after diagnosis and treatment of pulmonary thromboembolism (CR) [Azocar, Malmor, Kaynar, Lisbon], 588
regional anesthesia (RA) [Wu], 49
Colloids
hydroxyethyl starch (HES)
new solution of (HES 130/0.4) for preoperative autologous blood donation (OC) [Kasper, Stromich, Kampe, Radbruch], 486
renal function and; lack of direct effect on non-renally impaired patients (OC) [Dehne, Muhling, Sablotzki, Dehne, Sucke, Hempelmann], 103
Confidentiality
Health Insurance Portability and and Accountability Act (HIPAA) of 1996
reducing family members' anxiety during same-day surgery (OC) [Dexter, Epstein], 478
Coronary artery spasm
and anaphylactic reaction during general anesthesia (CR) [Fujita, Chikamitsu, Kimura, Toriumi, Endoh, Sari], 221
Costs, medical
drug wastage and effect on cost of routine anesthesia care (OC) [Weinger], 491
Cough suppression
lidocaine delivered through a modified endotracheal tube (OC) [Diachun, Tunink, Brock-Utne], 447
COX-II inhibitors
rofecoxib
and radical prostatectomy; failure to decrease postoperative pain (OC) [Huang, Taguchi, Hsu, Andriole, Jr., Kurz], 94
Cranial lesions
neuroradiology, interventional, with propofol or isoflurane (OC) [Munte, Munte, Kuche, Osthaus, Herzog, Heine, Leuwer, Piepenbrock], 186
Cyclosporine
and kidney transplantation
prolonged neuromuscular block during (CC) [Imerman, Caruso, Zori], 540
Cyst, vallecular
fiberoptic bronchoscopy in airway management of asymptomatic

(CR) [Rivo, Matot], 383

D

Delirium, emergence
statistical significance of (LE) [Sikich, Lerman], 157 (Reply) [Beach, Cravero], 158

Densitometry, pulse-dye
cardiac output
small prostaglandin E1 dose increases, without altering blood volume (OC) [Fukuda, Kawamoto, Yuge], 330
hepatic blood flow, and
effect of continuous prostaglandin E1 infusion on (OC) [Iijima, Ohishi, Tatara, Iwao], 250

Desflurane
comparison of low-dose rocuronium and atracurium in; comparison of hemodynamic effects of (OC) [Miguel, Soto, Dyches], 325

Desmopressin
in total knee replacement
effect of tourniquet application, tranexamic acid, and desmopressin on procoagulant and fibrinolytic systems during (OC) [Ellis, Fredman, Zohar, Ifrach, Jedeikin], 509

Developmental delay (pediatric)
oropharyngeal airway diameter during sedation in children with or without developmental delay (OC) [Elwood, Hansen, Seely], 482

Diabetes Mellitus, Type II
perioperative glucose control for
glucose-insulin-potassium infusion vs. intermittent insulin bolus (OC) [Hemmerling, Schmid, Schmidt, Kern, Jacobi], 293

Diclofenac
in ambulatory surgery
timing of administration of: preoperatively or postoperatively? (OC) [Norris, Un, Chung, Thanamayooran, Sandler, Katz], 11

Dobutamine
stress echocardiograms and
and preoperative evaluation of patients scheduled for noncardiac surgery (AB) [Panomitros, Nelson, Smith, Solanki, Zornow], 63

Documentation, medico-legal
preoperative evaluation form
quality assessment of and recommendations for, from 138 institutions (OC) [Takata, Benumof, Mazzei], 345

Doppler ultrasonography, transcranial
with anesthesia induction and neuromuscular block (OC) [Kofke, Shaheen, McWhorter, Sinz, Hobbs], 335

Drug addiction
heroin withdrawal
epidural morphine to treat; preliminary evaluation (OC) [Langerman, Abu-Nasra, Finger, Tverskoy, Kook, Mizrukhin], 452

Drug costs
effect of drug wastage on cost of routine anesthesia care (OC) [Weinger], 491

Drug induction
rapid-sequence, in pediatrics
succinylcholine pretreatment with gallamine or mivacurium during (OC) [Theroux, Rose, Iyengar, Katz], 287

Drug reaction
toxic epidermal necrolysis
anesthetic management of (CR) [Rabito, Sultana, Konefal, Candido], 133

E

Echocardiography
stress
and dobutamine, in preoperative evaluation of patients scheduled for noncardiac surgery (AB) [Panomitros, Nelson, Smith, Solanki, Zornow], 63

Economics, medical
drug wastage and effect on cost of routine anesthesia care (OC) [Weinger], 491

Education, anesthesiologists'
critical reading skills
curriculum for resident competence in (AB) [Richardson], 594
Internet
as source of educational materials for anesthesiologists' integration of core curriculum with (AB) [Steinberg, Dilger, Glass, Rampil], 594
level-specific core curriculum
for anesthesiology resident education (AB) [Kranner, Ockert, Goelzer], 594
medical students'
case-based approach to third-year education of, in anesthesiology and preoperative medicine (AB) [Kranner, Ruscher, Goelzer], 594
factors in selecting anesthesia residency program by American medical graduates (AB) [Goulson, Bowe], 594
mandatory rotation as possible influence of American medical graduates to enter anesthesiology training program (AB) [Lewis,Steadman, Restrepo, Candiotti, Desouza], 594
pharmacokinetics and pharmacodynamics, understanding of
off-line simulation to clarify, during extracorporeal shock-wave lithotripsy (AB) [Remchuk, Murray, Schuler, Logginidou], 594
problem-based learning for residents
the CA-1 introductory program; an experiment (AB) [Phillips, Doran, Wilks, Abram], 594
QuickStart Anesthesiology CD-ROM
student's introduction to anesthesia theory, practice, and procedures (AB) [Waterman, Schubert, Smith, Cork], 594
simulation technology
global survey of education, evaluation and research applications (AB) [Morgan, Cleave-Hogg], 594
simulator, full human
as tool for teaching complex decision making in a high-fidelity environment (AB) [Orledge, Kurtz, Murray, Henry, Underberg], 594
Society for Education in Anesthesia (SEA)
abstracts presented at spring 2001 meeting, 594

Education, patient
structured format for patient-controlled analgesia (OC) [Lam, Chan, Chen, Ngan Kee], 465

Electromyography
facial
as predictor of postoperative analgesia requirements, during simultaneous BIS monitoring (AB) [Shander, Qin, Bennett], 78

Emergence delirium
statistical significance of (LE) [Sikich, Lerman], 157 (Reply) [Beach, Cravero], 158

Emergence profile
remifentanil vs. fentanyl
hemodynamics and, in prospective comparison of large surgical population (OC) [Twersky, Jamerson, Warner, Fleisher, Hogue], 407

Emergency cases
and dedicated trauma room
elimination of, does not delay (AB) [St. Jacques, Day, Ross], 70
awake intubation for
lightwand vs. direct laryngoscopy (OC) [Nishikawa, Kawana, Namiki], 259

Emesis control
in cesarean section
metoclopramide vs. ondansetron for patients given epidural anesthesia (OC) [Pan, Moore], 430
postoperative nausea and vomiting
variation in practice patterns of California anesthesiologists (OC) [Macario, Chung, Weinger], 353

Endarterectomy, carotid
breakthrough hypertension, following
nicardipine vs. nitroprusside to treat (OC) [Dorman, Thompson, Breslow, Lipsett, Rosenfeld], 16
Ephedrine
in cesarean section
intravenous dose, during spinal anesthesia for ((OC) [Simon, Provenchere, de Saint Blanquat, Boulay, Hamza], 366
Epidermis
toxic epidermal necrolysis
anesthetic management of (CR) [Rabito, Sultana, Konefal, Candido], 133
Epidural space
and paramedian access
optimum window for ultrasound imaging (OC) [Grau, Leipold, Horter, Conradi, Martin, Motsch], 213
Equipment and supplies
airway, Guedel-type vs. cuffed oropharyngeal
comparison of, with mask ventilation during manual in-line stabilization (OC) [Koga, Sata, Kaku, Takamoto, Shigematsu], 6
blood pressure cuff
compression injury of radial nerve with (CR) [Lin, Jawan, de Villa, Chen, Liu], 306
bronchoscope, flexible fiberoptic
airway management with, for asymptomatic vallecular cyst (CR) [Rivo, Matot], 383
vs. Bullard laryngoscope, for patients afforded inline stabilization (OC) [Shulman, Connelly], 182
catheters
central venous
complication during placement of (CR) [Duong, Jensen, Kirsch, Wehner, Kagawa], 131
pulmonary artery
checking compatibility with percutaneous sheath introducers and (LE) [Liu], 157
circle systems
air-oxygen mixtures in, for low-flow anesthesia (OC) [Hendrickx, De Cooman,Vandeput, Van Alphen, Coddens, Deloof, De Wolf], 461
Doppler ultrasonography, transcranial
with anesthesia induction and neuromuscular block (OC) [Kofke, Shaheen, McWhorter, Sinz, Hobbs], 335
endotracheal tubes
comparison of wire reinforced, with warmed standard, to facilitate fiberoptic intubation (OC) [Connelly, Kyle, Gotta, Calimaran, Kant, Robbins, Kanter, Dunn], 3
cough suppression
lidocaine delivered through a modified endotracheal tube (OC) [Diachun, Tunink, Brock-Utne], 447
gastric tube
esophageal resection with tube in place; omeprazole to decrease gastric acidity and volume during (OC) [Yamanaka, Mammoto, Kita, Kishi], 370
gum elastic bougie
and Laryngeal Mask Airway
effect of head positioning during tracheal intubation with (OC) [Ahmed, Nathanson, Gajraj], 427
Laryngeal Mask Airway(tm)
in high-grade tracheal stenosis
use of, with high-frequency jet ventilation (CR) [Biro, Hegi, Weder, Spahn], 141
infusion, target-controlled, of propofol during insertion of (OC) [Baik, Kim, Lee], 175
pressure-controlled ventilation vs. volume controlled ventilation with (OC) [Natalini, Facchetti, Dicembrini, Lanza, Rosano, Bernardini], 436
Laryngoscope, Bullard
comparison with the flexible fiberoptic bronchoscope in patients afforded inline stabilization (OC) [Shulman, Connelly], 182
Lightwand
vs. direct laryngoscopy for awake intubation in emergency cases (OC) [Nishikawa, Kawana, Namiki], 259
LITA(tm) tube
cough suppression
lidocaine delivered through a modified endotracheal tube (OC) [Diachun, Tunink, Brock-Utne], 447
Narkomed 4 anesthesia system
leak in, during ventilation of lungs; "apnea-volume" warning (CR) [Chung, Ho, Tay], 40
percutaneous sheath introducers
checking compatibility with pulmonary artery catheter and (LE) [Liu], 157
pulmonary artery catheter
difficult flotation of, by echocardiographic diagnosis (LE) [Safwat], 239
QuickStart Anesthesiology CD-ROM
student's introduction to anesthesia theory, practice, and procedures (AB) [Waterman, Schubert, Smith, Cork], 594
simulator, full human
as tool to teach complex decision making in high-fidelity environment (AB) [Orledge, Kurtz, Murray, Henry, Underberg], 594
Spiromed respiratory volume monitor
and lung ventilation
apnea-volume" warning during; leak in Narkomed 4 anesthesia system with (CR) [Chung, Ho, Tay], 40
thermometer, cutaneous
and patient positioning (OC) [Huang, Kurz], 241
transcutaneous nerve stimulation (TENS)
failure of, to augment labor analgesia with bupivacaine (OC) [Tsen, Thomas, Segal, Datta, Bader], 571
ventilating tube exchanger
in tracheostomy (CR) [Ezri, Katz, Szmuk, Warters, Geva], 124
Esophageal cancer
omeprazole in
in decreasing gastric acidity and volume in patients with gastric tube in place (OC) [Yamanaka, Mammoto, Kita, Kishi], 370
Estrogen
in in vitro fertilization
influence of, on noxious stimuli (OC) [Tsen, Natale, Datta, Eappen], 118
Ethics, medical
Health Insurance Portability and and Accountability Act (HIPAA) of1996
reducing family members' anxiety during same-day surgery (OC) [Dexter, Epstein], 478
Etomidate
anaphylactic reaction to (CR) [Moorthy, Laurent, Pandya, Fry], 582
EXIT (Ex Utero intrapartum treatment) procedure
anesthetic management in (CR) [Schwartz, Moriarty, Tashjian, Wool, Parker, Markenson, Rothstein, Shah, Connelly, Courtney], 387
Extubation, self; deliberate
and sedation
relationship of (OC) [Tung, Tadimeti, Caruana-Montaldo, Atkins, Mion, Palmer, Slomka, Mendelson], 24
Eye surgery
cataract surgery
propofol vs. remifentanil; for sedation and limitation of movement during periretrobulbar block (OC) [Boezaart, Berry, Nell, van Dyk], 422

Laryngeal Mask Airway(tm) insertion during
balanced anesthesia with sevoflurane and remifentani; effect on intraocular pressure with balanced anesthesia (OC) [Eltzschig, Darsow, Schroeder, Hettesheimer, Guggenberger], 264

F
Fentanyl
for labor
patient-controlled analgesia with bupivacaine-sufentanil vs. (OC) [Le Guen, Roy, Branger, Ecoffey], 98
functional ability with
in postoperative period; difference between remifentanil and (OC) [Fleisher, Hogue, Colopy, Twersky, Warner, Jamerson, Tuman, Glass, Roizen], 401
hemodynamics of
vs. remifentanil in prospective comparison of large surgical population (OC) [Twersky, Jamerson, Warner, Fleisher, Hogue], 407
Fertilization, in vitro
estrogen in
noxious stimuli as possible result of (OC) [Tsen, Natale, Datta, Eappen], 118
Fetal surgery
EXIT (Ex utero intrapartum treatment) procedure
anesthetic management in (CR) [Schwartz, Moriarty, Tashjian, Wool, Parker, Markenson, Rothstein, Shah, Connelly, Courtney], 387
Fiberoptics
intubation with
airway management of asymptomatic vallecular cyst with (CR) [Rivo, Matot], 383
comparison of wire reinforced tubes with warmed standard tubes to facilitate (OC) [Connelly, Kyle, Gotta, Calimaran, Kant, Robbins, Kanter, Dunn], 3
Fibrinolysis
in total knee replacement
effect of tourniquet application, tranexamic acid, and desmopressin on procoagulant and fibrinolytic systems during (OC) [Ellis, Fredman, Zohar, Ifrach, Jedeikin], 509
Fluid overload
glycine 1.5%
in transurethral resection of prostate (OC) [Hahn], 167
Functional assessment
remifentanil vs. fentanyl in the postoperative period (OC) [Fleisher, Hogue, Colopy, Twersky, Warner, Jamerson, Tuman, Glass, Roizen], 401

G
Gallamine
in pediatrics
vs. mivacurium, as pretreatment during rapid-sequence induction (OC) [Theroux, Rose, Iyengar, Katz], 287
Gastric acidity
omeprazole for
in esophageal cancer patients with gastric tube in place (OC) [Yamanaka, Mammoto, Kita, Kishi], 370
Geriatric patients
core hypothermia in
atropine for prevention of midazolam-induced (OC) [Matsukawa, Ozaki, Nishiyama, Imamura, Iwamoto, Iijima, Kumazawa], 504
Glucose
in Diabetes Mellitus, Type II
glucose-insulin-potassium infusion vs. intermittent insulin bolus for glucose control (OC) [Hemmerling, Schmid, Schmidt, Kern, Jacobi], 293
Guedel-type airway
vs. cuffed oropharyngeal
comparison of, with mask ventilation during in-line stabilization (OC) [Koga, Sata, Kaku, Takamoto, Shigematsu], 6
Gum elastic bougie
and Laryngeal Mask Airway
effect of head positioning during tracheal intubation with (OC) [Ahmed, Nathanson, Gajraj], 427
Gynecological surgery
abdominal hysterectomy
epidural neostigmine for postoperative analgesia (OC) [Nakayama, Ichinose, Nakabayashi, Satoh, Yamamoto, Namiki], 86
ovarian tumorectomy
awareness during, with sevoflurane and epidural anesthesia (CR) [Miura, Kashimoto, Yamaguchi, Matsukawa], 227

H
Halothane
in pediatrics
vs. sevoflurane, in recovery following outpatient myringotomy (OC) [Hallen, Rawal, Gupta], 161
Health Insurance Portability and and Accountability Act (HIPAA) of 1996
and reducing family members' anxiety during same-day surgery (OC) [Dexter, Epstein], 478
Hemoglobin
in Jehovah's Witness patients
hemoglobin-based blood substitutes for (LE) [Doyle], 472
Heparin
anticoagulation, in regional anesthesia (RA) [Wu], 49
Hepatic blood flow
and prostaglandin E1
effect of continuous infusion, on (OC) [Iijima, Ohishi, Tatara, Iwao], 250
Heroin addiction
withdrawal of
epidural morphine to treat; preliminary evaluation (OC) [Langerman, Abu-Nasra, Finger, Tverskoy, Kook, Mizrukhin], 452
Hydroxyethyl starch (HES)
in preoperative autologous blood donation
evaluation of new solution (HES 130/0.4) (OC) [Kasper, Stromich, Kampe, Radbruch], 486
renal function and
effect on, in non-renally impaired patients (OC) [Dehne, Muhling, Sablotzki, Dehne, Sucke, Hempelmann], 103
Hyponatremia
and glycine 1.5%
in transurethral resection of prostate (OC) [Hahn], 167
Hypotension
in cesarean section
intravenous ephedrine for, during spinal anesthesia (OC) [Simon, Provenchere, de Saint Blanquat, Boulay, Hamza], 366
Hypothermia
core; in elderly patients
atropine for prevention of midazolam-induced (OC) [Matsukawa, Ozaki, Nishiyama, Imamura, Iwamoto, Iijima, Kumazawa], 504
Hypoxia
pulmonary thromboembolism and
persistent, after diagnosis and treatment of (CR) [Azocar, Talmor, Kaynar, Lisbon], 588
Hysterectomy
neostigmine, epidural
for postoperative analgesia (OC) [Nakayama, Ichinose, Nakabayashi, Satoh, Yamamoto, Namiki], 86
Hysteroscopy, outpatient
and transient neurologic symptoms

diagnosis and management of, after subarachnoid block with single-shot isobaric 2% lidocaine (CR) [Farid, Youssef, Banoub, Gottlieb, Tetzlaff], 521

I

Immune thrombocytopenic purpura
cesarean section and splenectomy in parturient with (CC) [Euliano, Zumberg, Frolich], 313
Induction, rapid-sequence
in pediatrics
succinylcholine pretreatment with gallamine or mivacurium during (OC) [Theroux, Rose, Iyengar, Katz], 287
Inferior vena cava
and renal cell carcinoma
anesthesia for patient with ca. extending into (CR) [Chan, Ngan Kee, Low], 585
Information systems
Health Insurance Portability and and Accountability Act(HIPAA) of 1996
confidentiality issues and reducing family members' anxiety during same-day surgery (OC) [Dexter, Epstein], 478
QuickStart Anesthesiology CD-ROM
student's introduction to anesthesia theory, practice, and procedures (AB) [Waterman, Schubert, Smith, Cork], 594
simulation technology
global survey of education, evaluation and research applications (AB) [Morgan, Cleave-Hogg], 594
simulator, full human
as tool to teach complex decision making in high-fidelity environment (AB) [Orledge, Kurtz, Murray, Henry, Underberg], 594
Intensive care unit
length of stay during
effect of fluid management on, after spine surgery (OC) [Nahtomi-Shick, Kostuik, Winters, Breder, Sieber, Sieber], 208
Internet
as source of educational materials for anesthesiologists
integration of core curriculum with (AB) [Steinberg, Dilger, Glass, Rampil], 594
Intubation, intratracheal
awake
apnea and the morbidly obese patient; airway management for (SA) [Benumof], 144
lightwand vs. direct laryngoscopy in emergency cases (OC) [Nishikawa, Kawana, Namiki], 259
fiberoptic
comparison of wire reinforced tubes with warmed standard tubes to facilitate (OC) [Connelly, Kyle, Gotta, Calimaran, Kant, Robbins, Kanter, Dunn], 3
gum elastic bougie and
intubation through the LMA using; effect of head positioning (OC) [Ahmed, Nathanson, Gajraj], 427
Laryngeal Mask Airway(tm)
and gum elastic bougie
intubation through the LMA using; effect of head positioning (OC) [Ahmed, Nathanson, Gajraj], 427
in high-grade tracheal stenosis,
use of, with high-frequency jet ventilation (CR) [Biro, Hegi, Weder, Spahn], 141
insertion of
effect on intraocular pressure using balanced anesthesia with sevoflurane and remifentanil (OC) [Eltzschig, Darsow, Schroeder, Hettesheimer, Guggenberger], 264
pressure-controlled ventilation vs. volume controlled ventilation with (OC) [Natalini, Facchetti, Dicembrini, Lanza, Rosano, Bernardini], 436
target-controlled infusion of propofol with (OC) [Baik, Kim, Lee], 175
reintubation
in orthotopic liver transplantation
incidence and indications for (OC) [Glanemann, Kaisers, Langrehr, Schenk, Stange, Muller, Bechstein, Falke, Neuhaus], 377
Isoflurane
cerebrovascular response
ketamine attenuates, to carbon dioxide in humans given isoflurane (OC) [Nagase, Iida, Ohata, Dohi], 551
in interventional neuroradiology
comparison with propofol (OC) [Munte, Munte, Kuche, Osthaus, Herzog, Heine, Leuwer, Piepenbrock], 186
in morbid obesity
vs. sevoflurane for laparoscopic gastric banding in (OC) [Torri, Casati, Albertin, Comotti, Bignami, Scarioni, Paganelli], 565
in pediatrics
airway hyperreactivity associated with awake Laryngeal Mask Airway(tm) removal and (OC) [Pappas, Sukhani, Lurie, Pawlowski, Sawicki, Corsino], 498

J

Jehovah's Witness patients
hemoglobin-based blood substitutes for (LE) [Doyle], 472
Journal of Clinical Anesthesia
Acknowledgment of Reviewers, Volume 13, 609
Journal of Clinical Anesthesia
Index of Authors, Volume 13, 612
Journal of Clinical Anesthesia
Index of Subjects, Volume 13, 615

K

Ketamine
cerebrovascular response
attenuates, to carbon dioxide with isoflurane anesthesia (OC) [Nagase, Iida, Ohata, Dohi], 551
epidural
in major abdominal surgery; safety and efficacy of combination morphine and, for postoperative analgesia (OC) [Subramaniam, Subramaniam, Pawar, Kumar], 339
in orthopedic surgery
effect of transdermal nitroglycerine on antinociception of (OC) [Lauretti, Oliveira, Rodriguez, Paccola], 576
Kidney
end-stage renal failure
increased sensitivity to vecuronium, and prolonged duration of action of (OC) [Sakamoto, Takita, Kemmotsu, Morimoto, Mayumi], 193
renal cell carcinoma
anesthesia for patient with, and inferior vena caval extension (CR) [Chan, Ngan Kee, Low], 585
renal function
and hydroxyethyl starch (OC) [Dehne, Muhling, Sablotzki, Dehne, Sucke, Hempelmann], 103
transplantation
prolonged neuromuscular block during (CC) [Imerman, Caruso, Zori], 540
Knee replacement, total
procoagulant and fibrinolytic systems during
effect of tourniquet application, tranexamic acid, and desmopressin on (OC) [Ellis, Fredman, Zohar, Ifrach, Jedeikin], 509

L

Laparoscopy
and pneumoperitoneum
lower abdominal surgery and (OC) [Rist, Hemmerling, Rauh, Siebzenhrubl, Jacobi], 244

patient positioning; influence of, on respiratory system compliance (OC) [Rauh, Hemmerling, Jacobi], 361

Laryngeal Mask Airway(tm)
gum elastic bougie and
intubation through the LMA using; effect of head positioning (OC) [Ahmed, Nathanson, Gajraj], 427
high-grade tracheal stenosis, and
use of, with high-frequency jet ventilation (CR) [Biro, Hegi, Weder, Spahn], 141
insertion of
effect on intraocular pressure using balanced anesthesia with sevoflurane and remifentanil (OC) [Eltzschig, Darsow, Schroeder, Hettesheimer, Guggenberger], 264
pediatric
airway hyperreactivity associated with removal of; correlation with choice of volatile anesthetic and depth of anesthesia (OC) [Pappas, Sukhani, Lurie, Pawlowski, Sawicki, Corsino], 498
propofol and
target-controlled infusion of (OC) [Baik, Kim, Lee], 175
ventilation with
pressure-controlled ventilation vs. volume controlled (OC) [Natalini, Facchetti, Dicembrini, Lanza, Rosano, Bernardini], 436

Laryngoscopy
vs. lightwand
in awake intubation for emergency cases (OC) [Nishikawa, Kawana, Namiki], 259

Latex allergy
and anaphylactic reaction to etomidate
cause of myocardial infarction in man with coronary artery disease (CR) [Moorthy, Laurent, Pandya, Fry], 582

Lidocaine
aspiration anesthesia, in
absorption of (OC) [Mainland, Kong, Chung, Chan, Lai], 440
cough suppression with
as delivered through a modified endotracheal (LITA[tm]) tube (OC) [Diachun, Tunink, Brock-Utne], 447

Lightwand
vs. direct laryngoscopy
in awake intubation for emergency cases (OC) [Nishikawa, Kawana, Namiki], 259

LITA(tm) tube
cough suppression with
lidocaine delivered through a modified endotracheal tube (OC) [Diachun, Tunink, Brock-Utne], 447

Liver
hepatic blood flow
and prostaglandin E1; effect of continuous infusion, on (OC) [Iijima, Ohishi, Tatara, Iwao], 250
transplantation, orthotopic
incidence and indications for reintubation postoperatively (OC) [Glanemann, Kaisers, Langrehr, Schenk, Stange, Muller, Bechstein, Falke, Neuhaus], 377

Lung
pulmonary artery catheter
difficult flotation of, by echocardiographic diagnosis (LE) [Safwat], 239
pulmonary hypertension
sildenafil (Viagra) to facilitate weaning of nitric oxide after placement of biventricular-assist device (CR) [Mychaskiw II, Sachdev, Heath], 218
thromboembolism
persistent hypoxia after diagnosis and treatment of (CR) [Azocar, Talmor, Kaynar, Lisbon], 588
ventilation of
"apnea-volume" warning during and leak in Narkomed 4 anesthesia system (CR) [Chung, Ho, Tay], 40
one-lung
propofol for; effect of positive end-expiratory pressure and continuous positive airway pressure on oxygenation and shunt fraction (OC) [Fujiwara, Abe, Mashimo], 473
Spiromed respiratory volume monitor "apnea-volume" warning during; leak in Narkomed 4 anesthesia system with (CR) [Chung, Ho, Tay], 40
variations on (CR) [Tobias], 35

M

Manpower
supervision of
negligence in, a cause of failed resuscitation (DD) [Liang, Hannenberg, Johans], 44 (letter in dispute of this article [Le Bel], 545, with replies by Liang, Hannenberg, and Johans], 546)

Medical students
education in anesthesiology and preoperative medicine
case-based approach for third-year students (AB) [Kranner, Rusch, Goelzer], 594
factors in selecting residency program (AB) [Goulson, Bowe], 594
mandatory rotation
possible influence on American medical graduates to enter anesthesiology training programs (AB) [Lewis, Steadman, Restrepo, Candiotti, Desouza], 594

Medical waste prevention
drug wastage and effect on cost of routine anesthesia care (OC) [Weinger], 491

Medicare patients
ambulatory; and higher ASA physical status classification (AB) [Abouleish, Prough], 64

Mepivacaine
in pediatrics
caudal block with; combination of bupvacaine and, or either, for postoperative analgesia and plasma concentration of local anesthetics (OC) [Hashizume, Yamaguchi, Mishio, Takiguchi, Okuda, Kitajima], 30

Methemoglobinemia, severe
on reexposure to benzocaine (CR) [Udeh, Bittikofer, Sum-Ping], 128

Metoclopramide
in cesarean section
ondansetron vs., for patients given epidural anesthesia (OC) [Pan, Moore], 430

Midazolam
core hypothermia caused by
in elderly patients; atropine to treat (OC) [Matsukawa, Ozaki, Nishiyama, Imamura, Iwamoto, Iijima, Kumazawa], 504
short-term propofol anesthesia with
small dose decreases time to achieve hypnosis without delaying emergence (OC) [Adachi, Watanabe, Higuchi, Satoh], 277

Mivacurium
in pediatrics
vs. gallamine, as pretreatment during rapid-sequence induction (OC) [Theroux, Rose, Iyengar, Katz], 287

Morphine
heroin withdrawal
epidural morphine to treat; preliminary evaluation (OC) [Langerman, Abu-Nasra, Finger, Tverskoy, Kook, Mizrukhin], 452
ketamine, epidural
as postoperative analgesia after major abdominal surgery (OC) [Subramaniam, Subramaniam, Pawar, Kumar], 339

Multimodal analgesia
and postoperative pain control (SA) [Jin, Chung], 524

Myocardial infarction (MI)
etomidate
anaphylactic reaction to, as cause of MI in man with coronary artery disease (CR) [Moorthy, Laurent, Pandya, Fry], 582
troponin I
diagnostic marker of perioperative MI in orthopedic surgery (OC) [Jules-Elysee, Urban, Urquhart, Milman], 556
Myringotomy
in pediatrics
sevoflurane vs. halothane (OC) [Hallen, Rawal, Gupta], 161

N
Narcotic addiction
heroin withdrawal
epidural morphine to treat; preliminary evaluation (OC) [Langerman, Abu-Nasra, Finger, Tverskoy, Kook, Mizrukhin], 452
Narkomed 4 anesthesia system
leak in, during ventilation of lungs; "apnea-volume" warning (CR) [Chung, Ho, Tay], 40
Nausea and vomiting
in cesarean section
metoclopramide vs. ondansetron, for patients given epidural anesthesia (OC) [Pan, Moore], 430
postoperative
variation in practice patterns of California anesthesiologists (OC) [Macario, Chung, Weinger], 353
Necrolysis, toxic epidermal
anesthetic management of (CR) [Rabito, Sultana, Konefal, Candido], 133
Negligence in personnel supervision
failed resuscitation caused by (DD) [Liang, Hannenberg, Johans], 44
Neonatology
EXIT (Ex utero intrapartum treatment) procedure
anesthetic management in (CR) [Schwartz, Moriarty, Tashjian, Wool, Parker, Markenson, Rothstein, Shah, Connelly, Courtney], 387
neonatal resuscitation certification
anesthesiologists' interest in obtaining (OC) [Gaiser, Lewin, Cheek, Gutsche], 374
sevoflurane in
EXIT (Ex utero intrapartum treatment) procedure
anesthetic management in (CR) [Schwartz, Moriarty, Tashjian, Wool, Parker, Markenson, Rothstein, Shah, Connelly, Courtney], 387
Neostigmine
epidural
abdominal hysterectomy; postoperative analgesia for (OC) [Nakayama, Ichinose, Nakabayashi, Satoh, Yamamoto, Namiki], 86
Nerve, radial
compression injury caused by blood pressure cuff (CR) [Lin, Jawan, de Villa, Chen, Liu], 306
Nerve block
splanchnic plexus
double-needle technique in CT-guided thoracic sympathetic and (LE) [Okuda, Yamaguchi, Fujimaki, Usui, Shinohara, Kitajima], 398
thoracic sympathetic
double-needle technique in CT-guided splanchnic plexus and (LE) [Okuda, Yamaguchi, Fujimaki, Usui, Shinohara, Kitajima], 398
Neurologic symptoms, transient and spinal anesthesia
diagnosis and management after subarachnoid block with single-shot isobaric 2% lidocaine (CR) [Farid, Youssef, Banoub, Gottlieb, Tetzlaff], 521
Neuromuscular block, prolonged
in kidney transplantation (CC) [Imerman, Caruso, Zori], 540
Neuroradiology
interventional
general anesthesia with propofol or isoflurane (OC) [Munte, Munte, Kuche, Osthaus, Herzog, Heine, Leuwer, Piepenbrock], 186
Nicardipine
vs. nitroprusside
in carotid endarterectomy; for breakthrough hypertension after (OC) [Dorman, Thompson, Breslow, Lipsett, Rosenfeld], 16
Nitric oxide
dose response to, in adult cardiac surgery (OC) [Solina, Ginsberg, Papp, Grubb, Scholz, Pantin, Cody, Krause], 281
and sildenafil (Viagra)
and weaning of, with sildenafil following placement of biventricular-assist device (CR) [Mychaskiw II, Sachdev, Heath], 218
Nitroglycerine, transdermal
in orthopedic surgery
effect of, on spinal ketamine antinociception after (OC) [Lauretti, Oliveira, Rodriguez, Paccola], 576
Nitroprusside
vs. nicardipine
in carotid endarterectomy; for breakthrough hypertension after (OC) [Dorman, Thompson, Breslow, Lipsett, Rosenfeld], 16
sinus surgery, endoscopic
controlled hypotension with nitroprusside does not improve surgical conditions or decrease blood loss (letter re: previous publication) (LE) [Boezaart, vd Merwe, Coetzee], 319 (Reply [Jacobi, Rickauer, Hemmerling], 319)
Nonsteroidal antiinflammatory drugs (NSAIDS)
diclofenac
timing of administration in ambulatory surgery (OC) [Norris, Un, Chung, Thanamayooran, Sandler, Katz], 11
multimodal analgesia for postoperative pain control (SA) [Jin, Chung], 524

O
Obesity, morbid
isoflurane vs. sevoflurane
in laparoscopic gastric banding in (OC) [Torri, Casati, Albertin, Comotti, Bignami, Scarioni, Paganelli], 565
prone position for (CR) [Brodsky, Oldroyd, Winfield, Kozlowski], 138
sleep apnea in
airway management for (SA) [Benumof], 144
Omeprazole
in esophageal cancer
decreasing gastric acidity and volume with, in patients with gastric tube in place (OC) [Yamanaka, Mammoto, Kita, Kishi], 370
Ondansetron
in cesarean section
metoclopramide vs., for patients given epidural anesthesia (OC) [Pan, Moore], 430
Operating room
efficiency in
case sequencing as determinant of (AB) [Lebowitz], 66
surgeons' contributions to, preliminary efforts (AB) [Snyder, Saleem, Zhang, Brull], 72
Health Insurance Portability and and Accountability Act (HIPAA) of 996
confidentiality issues and reducing family members' anxiety during same-day surgery (OC) [Dexter, Epstein], 478
trauma room, dedicated
elimination of, does not delay emergency cases (AB) [St. Jacques, Day, Ross], 70
turnover time

changing residents' case preparation patterns to reduce (AB) [Saleem, Snyder, Zhang, Brull], 74

Opioid addiction
heroin withdrawal
epidural morphine to treat; preliminary evaluation (OC) [Langerman, Abu-Nasra, Finger, Tverskoy, Kook, Mizrukhin], 452

Organ protection
prostaglandin E1
cardiac output with; small dose increases, without altering blood volume (OC) [Fukuda, Kawamoto, Yuge], 330
cardiopulmonary bypass
small doses of, and systemic hemodynamics and jugular venous oxygen saturation (OC) [Kadoi, Saito, Goto, Fujita], 417
hepatic blood flow, and
effect of continuous infusion, on (OC) [Iijima, Ohishi, Tatara, Iwao], 250

Oropharyngeal airway
in pediatrics
diameter, during sedation in children with and without developmental delay (OC) [Elwood, Hansen, Seely], 482

Orthopedic surgery
analgesia, postoperative
effect of transdermal nitroglycerine on spinal ketamine antinociception (OC) [Lauretti, Oliveira, Rodriguez, Paccola], 576
bispectral index monitoring during
propofol and remifentanil pharmacodynamics as measured by (OC) [Ropcke, Konen-Bergmann, Cuhls, Bouillon, Hoeft], 198
knee replacement, total
procoagulant and fibrinolytic systems during effect of tourniquet application, tranexamic acid, and desmopressin on (OC) [Ellis, Fredman, Zohar, Ifrach, Jedeikin], 509
spine surgery
fluid management during; and prediction of intensive care unit length of stay (OC) [Nahtomi-Shick, Kostuik, Winters, Breder, Sieber, Sieber], 208
troponin I
diagnostic marker of perioperative myocardial infarction in (OC) [Jules-Elysee, Urban, Urquhart, Milman], 556

Ovarian tumorectomy
awareness during
sevoflurane and epidural anesthesia (CR) [Miura, Kashimoto, Yamaguchi, Matsukawa], 227

Oxygen, hyperbaric
and sickle cell disease (OC) [Mychaskiw II, Woodyard, Brunson, May, Eichhorn], 255

Oxygenation
in one-lung ventilation with propofol
effect of positive end-expiratory pressure and continuous positive airway pressure on shunt fraction and (OC) [Fujiwara, Abe, Mashimo], 473

P

PABD (preoperative autologous blood donation)
proper use of (LE) [Lorentz, Frietsch), 470 (Reply [Billote, Glisson], 471)

Pain
acute; management practice guidelines
factors affecting hospital implementation of (OC) [Jiang, Lagasse, Ciccone, Jakubowski, Kitain], 268
multimodal analgesia for control of postoperative (SA) [Jin, Chung], 524
patient-controlled analgesia
education of patients
structured format for use (OC) [Lam, Chan, Chen, Ngan Kee], 465
epidural; for labor
fentanyl vs. sufentanil-bupivacaine combination (OC) [Le Guen, Roy, Branger, Ecoffey], 98
radicular
subdural air collection; a likely source of pain after lumbar epidural (CC) [Overdiek, Grisales, Gravenstein, Bosek, Nishman, Modell], 392

Patient-controlled analgesia
education of patients
structured format for use (OC) [Lam, Chan, Chen, Ngan Kee], 465
epidural; for labor
fentanyl vs. sufentanil-bupivacaine combination (OC) [Le Guen, Roy, Branger, Ecoffey], 98

Patients
elderly
core hypothermia in
atropine prevents midazolam-induced (OC) [Matsukawa, Ozaki, Nishiyama, Imamura, Iwamoto, Iijima, Kumazawa], 504
family of
reducing anxiety of during same-day surgery
review of studies and implications of the Health Insurance Portability and and Accountability Act (HIPAA) of 1996 (OC) [Dexter, Epstein], 478

Medicare
ambulatory; and higher ASA physical status classification (AB) [Abouleish, Prough], 64

obesity, morbid
isoflurane vs. sevoflurane
in laparoscopic gastric banding in (OC) [Torri, Casati, Albertin, Comotti, Bignami, Scarioni, Paganelli], 565
prone position for (CR) [Brodsky, Oldroyd, Winfield, Kozlowski], 138
sleep apnea in
airway management for (SA) [Benumof], 144
patient-controlled analgesia
structured education for use of (OC) [Lam, Chan, Chen, Ngan Kee], 465
positioning of, for surgery
in laparoscopy
effect of, on pneumoperitoneum and respiratory system compliance (OC) [Rauh, Hemmerling, Jacobi], 361
prone position
and morbid obesity (CR) [Brodsky, Oldroyd, Winfield, Kozlowski], 138
Trendelenburg position
in pediatrics; effects of, on internal jugular vein cross- sectional area in (OC) [Botero, White, Younginer, Lobato], 90

Pediatrics
airway, hyperreactivity of
and Laryngeal Mask Airway(tm) removal; correlation with choice of volatile anesthetic and depth of anesthesia (OC) [Pappas, Sukhani, Lurie, Pawlowski, Sawicki, Corsino], 498
airway, oropharyngeal
diameter of, during sedation in children with and without developmental delay (OC) [Elwood, Hansen, Seely], 482
bispectral index monitor and
effects of sedation on, in intensive care unit patients (CR) [Tobias], 122
cannulation in
Trendelenburg position and positive intrathoracic pressure; effects of, on internal jugular vein cross-sectional area (OC) [Botero, White, younginer, Lobato], 90
caudal block
mepivacaine, bupivacaine, or combination
requirement for postoperative analgesia and plasma concentration of local anesthetics (OC)

[Hashizume, Yamaguchi, Mishio, Takiguchi, Okuda, Kitajima], 30
induction, rapid-sequence
succinylcholine pretreatment with gallamine or mivacurium during (OC) [Theroux, Rose, Iyengar, Katz], 287
Laryngeal Mask Airway(tm)
airway hyperreactivity and
and removal of; correlation with choice of volatile anesthetic and depth of anesthesia (OC) [Pappas, Sukhani, Lurie, Pawlowski, Sawicki, Corsino], 498
myringotomy
sevoflurane vs. halothane and their effect on postoperative recovery (OC) [Hallén, Rawal, Gupta], 161
sedation in
effects on BIS monitor, in intensive-care unit patients (CR) [Tobias], 122
thrombelastography
celite-activated (OC) [Pivalizza, Pivalizza, Gottschalk, Kee, Szmuk, Abramson], 20
Penicillin-allergic patients
cephalosporins to treat those who do not exhibit an anaphylactic response (OC) [Goodman, Morgan, Johnson, Nichols, Denk, Gold], 561
Periretrobulbar block
remifentanil vs. propofol for sedation and limitation of movement (OC) [Boezaart, Berry, Nell, van Dyk], 422
Pharmacokinetics and pharmacodynamics
simulation program as tool for understanding (AB) [Remchuk, Murray, Schuler, Logginidou], 594
Pleural effusion
pulmonary thromboembolism
persistent hypoxia after diagnosis and treatment of (CR) [Azocar, Talmor, Kaynar, Lisbon], 588
Pneumoperitoneum
abdominal, lower, surgery
laparoscopy for (OC) [Rist, Hemmerling, Rauh, Siebzenhrubl, Jacobi], 244
patient positioning and
effect of, on pneumoperitoneum and respiratory system compliance (OC) [Rauh, Hemmerling, Jacobi], 361
Positioning of patients
in laparoscopy
effect of, on pneumoperitoneum and respiratory system compliance (OC) [Rauh, Hemmerling, Jacobi], 361
prone position
and morbid obesity (CR) [Brodsky, Oldroyd, Winfield, Kozlowski], 138
Trendelenburg position
in pediatrics; effects of, on internal jugular vein cross- sectional area in (OC) [Botero, White, Younginer, Lobato], 90
Pregnancy
cesarean section
ephedrine in
intravenous dose of, during spinal anesthesia for (OC) [Simon, Provenchere, de Saint Blanquat, Boulay, Hamza], 366
metoclopramide vs. ondansetron; efficacy of, in patients given epidural anesthesia (OC) [Pan, Moore], 430
and splenectomy; in parturient with immune thrombocytopenic purpura (CC) [Euliano, Zumberg, Frolich], 313
cisatracurium in
comparison of neuromuscular block with, between immediate postpartum and nonpregnant patients (OC) [Pan, Moore], 112
labor
patient-controlled analgesia with fentanyl vs. bupivacaine- sufentanil combination (OC) [Le Guen, Roy, Branger, Ecoffey], 98
transcutaneous electrical nerve stimulation (TENS)
failure to augment labor analgesia with bupivacaine (OC) [Tsen, Thomas, Segal, Datta, Bader], 571
obstetrics
neonatal resuscitation certification; anesthesiologists' interest in obtaining (OC) [Gaiser, Lewin, Cheek, Gutsche], 374
EXIT (Ex utero intrapartum treatment) procedure (CR) [Schwartz, Moriarty, Tashjian, Wool, Parker, Markenson, Rothstein, Shah, Connelly, Courtney], 387
transposition of great arteries, congenitally corrected
anesthesia for patient undergoing labor and vaginal delivery (CR) [Schabel, Jasiewicz], 517
Preoperative evaluation form
quality assessment of and recommendations for, from 138 institutions (OC) [Takata, Benumof, Mazzei], 345
Pressure, airway
and one-lung ventilation with propofol
effect of positive end-expiratory pressure and continuous positive airway pressure on oxygenation and shunt fraction during (OC) [Fujiwara, Abe, Mashimo], 472
Privacy, patient
and reducing family members' anxiety during same-day surgery
review of studies and implications of the Health Insurance Portability and and Accountability Act (HIPAA) of 1996 (OC) [Dexter, Epstein], 478
Problem-based learning
for residents
the CA-1 introductory program; experiment in (AB) [Phillips, Doran, Wilks, Abram], 594
Propofol
bispectral monitoring
in orthopedic surgery; pharmacodynamics of, with remifentanil (OC) [Ropcke, Konen-Bergmann, Cuhls, Bouillon, Hoeft], 198
cataract surgery
vs. remifentanil; comparison for sedation and limitation of movement during periretrobulbar block (OC) [Boezaart, Berry, Nell, van Dyk], 422
commercial solutions of
is the more expensive also the more effective? (OC) [Weksler, Rozentsveig, Tarnoploski, Gurman], 321
neuroradiology, interventional, with
comparison with isoflurane (OC) [Munte, Munte, Kuche, Osthaus, Herzog, Heine, Leuwer, Piepenbrock], 186
one-lung ventilation with
effect of positive end-expiratory pressure and continuous positive airway pressure on oxygenation and shunt fraction (OC) [Fujiwara, Abe, Mashimo], 473
short-term procedures with
midazolam decreases time to achieve hypnosis without delaying emergence (OC) [Adachi, Watanabe, Higuchi, Satoh], 277
target-controlled infusion
with the Laryngeal Mask Airway(tm) (OC) [Baik, Kim, Lee], 175
Prostaglandin E1
cardiac output with
small dose increases, without altering blood volume (OC) [Fukuda, Kawamoto, Yuge], 330
cardiopulmonary bypass
small doses of, and systemic hemodynamics and jugular venous oxygen saturation (OC) [Kadoi, Saito, Goto, Fujita], 417
hepatic blood flow, and
effect of continuous infusion, on (OC) [Iijima, Ohishi, Tatara,

Iwao], 250
Prostate, transurethral resection
and glycine 1.5%
natriuresis and "dilutional" hyponatremia after infusion of (OC) [Hahn], 167
Prostatectomy, radical
rofecoxib for
failure to decrease postoperative pain (OC) [Huang, Taguchi, Hsu, Andriole, Jr., Kurz], 94
Pseudocholinesterase
deficiency of
in kidney transplantation; prolonged neuromuscular block in (CC) [Imerman, Caruso, Zori], 540
Pulmonary artery catheter
difficult flotation of, by echocardiographic diagnosis (LE) [Safwat], 239
Pulmonary hypertension
and sildenafil (Viagra)
facilitates weaning of nitric oxide after placement of biventricular- assist device (CR) [Mychaskiw II, Sachdev, Heath], 218
Pulmonary thromboembolism
persistent hypoxia after diagnosis and treatment of (CR) [Azocar, Talmor, Kaynar, Lisbon], 588

Q
Quality assurance
and preoperative evaluation form
quality assessment of, and recommendations for, from 138 institutions (OC) [Takata, Benumof, Mazzei], 345
Quality improvement
acute pain management practice guidelines
factors affecting hospital implementation (OC) [Jiang, Lagasse, Ciccone, Jakubowski, Kitain], 268
nausea and vomiting, postoperative
variation in practice patterns of California anesthesiologists (OC) [Macario, Chung, Weinger], 353
QuickStart Anesthesiology CD-ROM
student's introduction to anesthesia theory, practice, and procedures (AB) [Waterman, Schubert, Smith, Cork], 594

R
Radial nerve injury
blood pressure cuff as cause of (CR) [Lin, Jawan, de Villa, Chen, Liu], 306
Reintubation
in orthotopic liver transplantation
incidence and indication for (OC) [Glanemann, Kaisers, Langrehr, Schenk, Stange, Muller, Bechstein, Falke, Neuhaus], 377
Remifentanil
bispectral monitoring
in orthopedic surgery; pharmacodynamics of, with propofol (OC) [Ropcke, Konen-Bergmann, Cuhls, Bouillon, Hoeft], 198
cataract surgery
vs. propofol for sedation and limitation of movement during periretrobulbar block (OC) [Boezaart, Berry, Nell, van Dyk], 422
functional ability with
in postoperative period; difference between fentanyl and (OC) [Fleisher, Hogue, Colopy, Twersky, Warner, Jamerson, Tuman, Glass, Roizen], 401
hemodynamics of
vs. fentanyl in prospective comparison of large surgical population (OC) [Twersky, Jamerson, Warner, Fleisher, Hogue], 407
in strabismus surgery
effect of Laryngeal Mask Airway(tm) insertion on intraocular pressure during balanced anesthesia with sevoflurane and remifentanil (OC) [Eltzschig, Darsow, Schroeder, Hettesheimer, Guggenberger], 264
Renal function
end-stage renal failure
increased sensitivity to vecuronium, and prolonged duration of action of (OC) [Sakamoto, Takita, Kemmotsu, Morimoto, Mayumi], 193
hydroxyethyl starch and
failure to effect, in non-renally impaired patients (OC) [Dehne, Muhling, Sablotzki, Dehne, Sucke, Hempelmann], 103
renal cell carcinoma
anesthesia for patient with, and inferior vena caval extension (CR) [Chan, Ngan Kee, Low], 585
transplantation
prolonged neuromuscular block in (CC) [Imerman, Caruso, Zori], 540
Residents, anesthesia
education of
level-specific core curriculum for (AB) [Kranner, Ockert, Goelzer], 594
operating room turnover time and
changing case preparation patterns of, reduces (AB) [Saleem, Snyder, Zhang, Brull], 74
performance assessment of
model for, incorporating Accreditation Council for Graduate Medical Education (ACGME) Outcome Project (AB) [Goelzer, Kranner], 594
Web-based resident/faculty/rotation evaluation system
a two-year experience with (AB) [Mahla, van der Aa, Gravenstein], 594
problem-based learning
the CA-1 introductory program; experiment in (AB) [Phillips, Doran, Wilks, Abram], 594
program, anesthesiology
important factors in choosing (AB) [Goulson, Bowe], 594
reading (critical) skills of
curriculum for resident competence in (AB) [Richardson], 594
Respiration
hypoxia, persistent
after diagnosis and treatment of pulmonary thromboembolism (CR) [Azocar, Talmor, Kaynar, Lisbon], 588
one-lung ventilation
with propofol; effect of positive end-expiratory pressure and continuous positive airway pressure on oxygenation and shunt fraction during (OC) [Fujiwara, Abe, Mashimo], 473
variations on (CR) [Tobias], 35
pediatric
airway hyperreactivity associated with Laryngeal Mask Airway(tm) removal; correlation with volatile anesthetic and depth of anesthesia (OC) [Pappas, Sukhani, Lurie, Pawlowski, Sawicki, Corsino], 498
Resuscitation, failed
negligence in supervision a cause of (DD) [Liang, Hannenberg, Johans], 44
Retrobulbar block
cataract surgery
propofol vs. remifentanil for sedation and limitation of movement during periretrobulbar block (OC) [Boezaart, Berry, Nell, van Dyk], 422
Risk management
and preoperative evaluation form
quality assessment of, and recommendations for, from 138 institutions (OC) [Takata, Benumof, Mazzei], 345
Rocuronium
cerebral vascular effects of (OC) [Kofke, Shaheen, McWhorter, Sinz, Hobbs], 335
low-dose
vs. atracurium in a desflurane anesthetic; comparison of hemodynamic effects of (OC) [Miguel, Soto, Dyches], 325
Rofecoxib, oral
in radical prostatectomy

failure to decrease postoperative pain (OC) [Huang, Taguchi, Hsu, Andriole, Jr., Kurz], 94

Rotation, anesthesiology
mandatory rotation
possible influence of American medical graduates' decision to enter anesthesiology training programs (AB) [Lewis, Steadman, Restrepo, Candiotti, Desouza], 594
Web-based resident/faculty/rotation evaluation system
a two-year experience with (AB) [Mahla, van der Aa, Gravenstein], 594

Rotator cuff repair
interscalene brachial plexus anesthesia for; report of complications during (CR) [Ayad, Tetzlaff], 514

S

Sedation
deliberate self-extubation, and
relationship of (OC) [Tung, Tadimeti, Caruana-Montaldo, Atkins, Mion, Palmer, Slomka, Mendelson], 24
in developmental delay
airway, oropharyngeal; diameter of, during sedation in children with and without (OC) [Elwood, Hansen, Seely], 482
monitoring of
wrist actigraphy (OC) [Weinbroum, Ben Abraham, Ezri, Zomer], 455

Sepsis
methemoglobinemia, severe
on reexposure to benzocaine (CR) [Udeh, Bittikofer, Sum-Ping], 128

Sevoflurane
awareness with epidural anesthesia and
in ovarian tumorectomy (CR) [Miura, Kashimoto, Yamaguchi, Matsukawa], 227
in morbid obesity
vs. isoflurane for laparoscopic gastric banding in (OC) [Torri, Casati, Albertin, Comotti, Bignami, Scarioni, Paganelli], 565
in pediatrics
comparison with halothane in recovery from outpatient myringotomy (OC) [Hallen, Rawal, Gupta], 161
in strabismus surgery
effect of Laryngeal Mask Airway(tm) insertion on intraocular pressure during balanced anesthesia with sevoflurane and remifentanil (OC) [Eltzschig, Darsow, Schroeder, Hettesheimer, Guggenberger], 264

Shoulder surgery
interscalene brachial plexus anesthesia for; report of complications during (CR) [Ayad, Tetzlaff], 514

Shunt fraction
in one-lung ventilation with propofol
effect of positive end-expiratory pressure and continuous positive airway pressure on oxygenation and (OC) [Fujiwara, Abe, Mashimo], 473

Sickle cell disease
and hyperbaric oxygen; in vitro effects of (OC) [Mychaskiw II, Woodyard, Brunson, May, Eichhorn], 255

Sildenafil (Viagra)
and weaning of nitric oxide following placement of biventricular-assist device (CR) [Mychaskiw II, Sachdev, Heath], 218

Simulation
full human simulator
as tool for teaching complex decision making in high-fidelity environment (AB) [Orledge, Kurtz, Murray, Henry, Underberg], 594
off-line
understanding pharmacokinetics and pharmacodynamics through simulation program for, during extracorporeal shock-wave lithotripsy (AB) [Remchuk, Murray, Schuler, Logginidou], 594
technology
global survey of education, evaluation and research applications with (AB) [Morgan, Cleave-Hogg], 594

Sinus surgery, endoscopic
controlled hypotension with nitroprusside does not improve surgical conditions or decrease blood loss (letter re: previous publication) (LE) [Boezaart, vd Merwe, Coetzee], 319 (Reply [Jacobi, Rickauer, Hemmerling], 319)

Society for Education in Anesthesia (SEA)
abstracts presented at the spring 2001 meeting; 594

Spine surgery
fluid management during
and prediction of intensive care unit length of stay (OC) [Nahtomi-Shick, Kostuik, Winters, Breder, Sieber, Sieber], 208

Spiromed respiratory volume monitor and lung ventilation
"apnea-volume" warning during; leak in Narkomed 4 anesthesia system with (CR) [Chung, Ho, Tay], 40

Splanchnic plexus block
double-needle technique in CT-guided thoracic sympathetic and (LE) [Okuda, Yamaguchi, Fujimaki, Usui, Shinohara, Kitajima], 398

Splenectomy
and cesarean section
in patient with immune thrombocytopenic purpura (CC) [Euliano, Zumberg, Frolich], 313

Stevens-Johnson syndrome
toxic epidermal necrolysis; anesthetic management in (CR) [Rabito, Sultana, Konefal, Candido], 133

Strabismus surgery
Laryngeal Mask Airway(tm) insertion during
balanced anesthesia with sevoflurane and remifentani; effect on intraocular pressure with balanced anesthesia (OC) [Eltzschig, Darsow, Schroeder, Hettesheimer, Guggenberger], 264

Subdural air collection
source of pain after lumbar epidural (CC) [Overdiek, Grisales, Gravenstein, Bosek, Nishman, Modell], 392

Sufentanil
for labor
patient-controlled analgesia with fentanyl vs. combination of bupivacaine and (OC) [Le Guen, Roy, Branger, Ecoffey], 98

Surgical efficiency
surgeon's efforts to contribute to operating room efficiency (AB) [Snyder, Saleem, Zhang, Brull], 72
Vanderbilt Indicator (AB) [St. Jacques, Randa, Feistrizter, Higgins], 68

T

Tachycardia, supraventricular
transposition of great arteries, congenitally corrected
anesthesia for patient undergoing labor and vaginal delivery (CR) [Schabel, Jasiewicz], 517

Telephone, mobile
preference for, over pagers, in communication between anesthesia team members (AB) [Overdyk, Pinosky, Walton, Rust], 61

Temperature monitoring
core hypothermia
atropine to treat midazolam-induced, in elderly patients (OC) [Matsukawa, Ozaki, Nishiyama, Imamura, Iwamoto, Iijima, Kumazawa], 504

cutaneous thermometers (OC) [Huang, Kurz], 241

Thermometer, cutaneous
and patient positioning (OC) [Huang, Kurz], 241

Thiamine deficiency
beriberi
early recognition of acute cardiovascular, by interpretation of hemodynamics (CC) [Gabrielli, Caruso, Stacpoole], 230

Thoracic sympathetic block
double-needle technique in CT-guided splanchnic plexus and (LE) [Okuda, Yamaguchi, Fujimaki, Usui, Shinohara, Kitajima], 398

Thrombelastography
celite-activated
in pediatrics (OC) [Pivalizza, Pivalizza, Gottschalk, Kee, Szmuk, Abramson], 20

Topical anesthetic
lidocaine, absorption of
in aspiration anesthesiaÆMDNMØ (OC) [Mainland, Kong, Chung, Chan, Lai], 440
cough suppression with
as delivered through a modified endotracheal (LITA[tm]) tube (OC) [Diachun, Tunink, Brock-Utne], 447

Tourniquet application
in total knee replacement
procoagulant and fibrinolytic systems during; efect of tranexamic acid, desmopressin, and tourniquet application on (OC) [Ellis, Fredman, Zohar, Ifrach, Jedeikin], 509

Tracheastenosis, high-grade
Laryngeal Mask Airway(tm) and high-frequency jet ventilation for (CR) [Biro, Hegi, Weder, Spahn], 141
tracheostomy
ventilating tube exchanger for (CR) [Ezri, Katz, Szmuk, Warters, Geva], 124

Tranexamic acid
in total knee replacement
procoagulant and fibrinolytic systems during; efect of tranexamic acid, desmopressin, and tourniquet application on (OC) [Ellis, Fredman, Zohar, Ifrach, Jedeikin], 509

Transcutaneous electrical nerve stimulation (TENS)
failure to augment labor analgesia with bupivacaine (OC) [Tsen, Thomas, Segal, Datta, Bader], 571

Transesophageal echocardiography
in diagnosis of renal cell carcinoma extending into inferior vena cava (CR) [Chan, Ngan Kee, Low], 585

Transient neurologic symptoms and spinal anesthesia
diagnosis and management of, after subarachnoid block with single-shot isobaric 2% lidocaine in outpatient hysteroscopy (CR) [Farid, Youssef, Banoub, Gottlieb, Tetzlaff], 521

Transposition of great arteries, congenitally corrected
anesthesia for patient undergoing labor and vaginal delivery (CR) [Schabel, Jasiewicz], 517

Trauma room, dedicated
elimination of, does not delay emergency cases (AB) [St. Jacques, Day, Ross], 70

Trendelenburg position
in pediatrics
effects of, on internal jugular vein cross-sectional area in (OC) [Botero, White, Younginer, Lobato], 90

Troponin I
diagnostic marker of perioperative myocardial infarction in orthopedic surgery (OC) [Jules-Elysee, Urban, Urquhart, Milman], 556

Turnover time, operating room
changing residents' case preparation pattern to reduce (AB) [Saleem, Snyder, Zhang, Brull], 74

TURP (transurethral resection of prostate) and glycine 1.5%
natriuresis and "dilutional" hyponatremia after infusion of (OC) [Hahn], 167

U

Ultrasonography
Doppler, transcranial
anesthesia induction and neuromuscular blockade (OC) [Kofke, Shaheen, McWhorter, Sinz, Hobbs], 335
and isoflurane anesthesia
ketamine vs. propofol; effect on the cerebrovascular response to carbon dioxide (OC) [Nagase, Iida, Ohata, Dohi], 551
and epidural space
paramedian access to; optimum window for imaging (OC) [Grau, Leipold, Horter, Conradi, Martin, Motsch], 213

V

Vallecular cyst, asymptomatic
airway management considerations of (CR) [Rivo, Matot], 383

Vanderbilt Indicator
as measure of surgical efficiency (AB) [St. Jacques, Randa, Feistrizter, Higgins], 68

Vasodilators
Prostaglandin E1
cardiac output with; small dose increases, without altering blood volume (OC) [Fukuda, Kawamoto, Yuge], 330
hepatic blood flow and
effect of continuous infusion, on (OC) [Iijima, Ohishi, Tatara, Iwao], 250

Vecuronium
in end-stage renal failure
increased sensitivity to, and prolonged duration of action of (OC) [Sakamoto, Takita, Kemmotsu, Morimoto, Mayumi], 193

Ventilation
high-frequency jet
and Laryngeal Mask Airway(TM), in high-grade tracheal stenosis (CR) [Biro, Hegi, Weder, Spahn], 141
Laryngeal Mask Airway(tm) and
pressure-controlled vs. volume-controlled, with the LMA (OC) [Natalini, Facchetti, Dicembrini, Lanza, Rosano, Bernardini], 436
lung
"apnea-volume" warning during leak in Narkomed 4 anesthesia system (CR) [Chung, Ho, Tay], 40
one-lung
with propofol; effect of positive end-expiratory pressure and continuous positive airway pressure on oxygenation and shunt fraction during (OC) [Fujiwara, Abe, Mashimo], 473
variations on (CR) [Tobias], 35
mask
Guedel-type airway vs. cuffed oropharyngeal airway
in manual in-line stabilization, during (OC) [Koga, Sata, Kaku, Takamoto, Shigematsu], 6
pressure-controlled vs. volume-controlled
and use of the LMA (OC) [Natalini, Facchetti, Dicembrini, Lanza, Rosano, Bernardini], 436
ventilating tube exchanger
in tracheostomy (CR) [Ezri, Katz, Szmuk, Warters, Geva], 125

Viagra (sildenafil)
and weaning of nitric oxide following placement of biventricular-assist device (CR) [Mychaskiw II, Sachdev, Heath], 218

W

Warfarin
anticoagulation, in regional anesthesia (RA) [Wu], 49

Waste, medical
effect of drug wastage on cost of routine anesthesia care (OC) [Weinger], 491

Wrist actigraphy
sedation monitoring with (OC) [Weinbroum, Ben Abraham, Ezri, Zomer], 455